Double flat bed press used for:

- transfer printing with **vacuum** system for deeper inks penetration.
- 1. CHARACTERISTICS OF PRINTING PLANES:
 - 1.1. Planes number: 2
 - 1.2. Dimensions: 1.500 mm (59,06") x 1.000 mm (39,37").
 - 1.3. Working dimensions normal printing: 1.410 mm (55.5") x 910 mm (36")
 - 1.4. Working dimensions with vacuum system: 1.380 mm (54") x 880 mm (35")
- 2. HEATING AND TEMPERATURE CONTROL:
 - 2.1. The printing plane is heated by electrical resistors.
 - 2.2. The temperature of the printing plane is adjustable up to 230°C and controlled by electronic thermostat.
- 3. OTHER DEVICES INTO MACHINE:
 - 3.1. Manual or semi-automatic functions
 - 3.2. Motorized movement of the working planes
 - 3.3. Automatic and programmable stroke times
 - 3.4. Hydraulic pressure
 - 3.5. Vacuum system for deeper inks penetration to textile
 - 3.6. Equipped with vacuum pump
- 4. TECHNICAL DATA:
 - 4.1. Installed power: 12 kW
 - 4.2. Average electrical consumption: 9 kW/h
 - 4.3. Compressed air pressure: 5-8 bar
 - 4.4. Overall dimensions: width 2.170 mm (85,43"). length 2.800 mm (110,24"). height 1.350 mm (53,15").
 - 4.5. Net weight: 1.500 kg
 - 4.6. Machine produced according to CE rules
 - 4.7. Customs tariff: 84 51 80 30

All data and technical features are purely indicative, subjected to changes without prior notice and refer to standard machines without options





LindenmeyrMunroe.com